

2026
COMPANY PROFILE



INDEX

الفهرس

04	ABOUT COMPANY	عن الشركة
06	TIMELINE	الخط الزمني
08	PLANT & MACHINERY	المصنع والآلات
10	AWARDS & INNOVATION	الجوائز والابتكار
12	COMMUNITY	المجتمع
14	PRODUCTS	المنتجات
28	PRESTIGIOUS PROJECTS	المشاريع المرموقة
40	QUALITY STANDARDS ISO CERTIFICATE	معايير الجودة شهادة الأيزو
54	TECHNICAL SPECS	المواصفات الفنية





ABOUT AL MAHA CERAMICS SAOG

Al Maha Ceramics SAOG was established in 2006, with a vision to provide quality ceramic tiles with world class design ingrained in every tile. Located at the Sohar Industrial area, Al Maha Ceramics is one of the largest tiles companies in GCC.

'Every tile is a Masterpiece' is more than a brand promise. It is what we strive for, perfection in design and quality par excellence. Al Maha Ceramics SAOG prides in a fully automated Italian plants aided by Laser Guided Vehicles. The company uses superior quality European raw materials to produce tiles. The production units are fully digitized ensuring that every process follows the highest level of precision. Al Maha Ceramics has acquired a 45% stake in Al Hael Ceramica Co. LLC along with management control for 5 years. The new factory located in Sur Industrial area can produce up to 15 million SQM of tiles, thus, augmenting the Companies growth and complementing Al Maha product range with Porcelain tiles as well as higher size Ceramics tiles.

'The combined annual production capacity is around 21 million SQM. The product range of tiles includes glazed wall, floor, skirting, borders & highlighter in a variety of designs and shades to suit every decor. The range of sizes produced are 60x120, 80x80, 60x60, 50x50, 30x30, 30X60 cm. Al Maha is the pioneer in launching the most innovative range of products like Antibacterial, Anti-Slip, Barid & Polished tiles in the region. Al Maha Ceramics is the only manufacturer of Glazed porcelain tiles in Sultanate of Oman. Al Maha Ceramics has made its presence felt across the entire MENA region. Al Maha exports to UAE, Saudi Arabia, Qatar, Bahrain, Jordan, Syria, Lebanon, Yemen, Africa, and South Asia.

The plants are equipped with fully automated Italian machineries. Plant is sourced from Sacmi Italy, SITI B&T Group (Italy) and Manfredini & Schianchi (Italy) and installed latest technology digital printing machines from system, Projecta & Tecnoferrari (Italy) which has enabled the company to launch digital printed tiles in oman. The company has commissioned regions first poblishing lines, which gave an edge to its product portfolio. The company utilizes dry grinding technology leaading to lower energy consumption, lower consumption of water and faster grinding time.

Al Hael Ceramica LLC, a dynamic and innovative subsidiary of AL Maha Ceramics SAOG, stands as a leading manufacturer and supplier of high-quality ceramics and porcelain tiles. With a steadfast commitment to excellence and a customer-centric approach, Al Hael Ceramica LLC is dedicated to transforming spaces through superior design and craftsmanship. Al Hael Ceramica LLC operates four production lines equipped with advanced machinery from SACMI, a renowned Italian machinery provider. We produce tiles in various sizes, including: • 60x60 9mm • 60x120 10mm • 60x120 20mm (In Progress) • 60x60 2CM exterior tiles Leveraging state-of-the-art technology and adhering to stringent quality control measures, we ensure that every product meets international standards.
Product Finishes: Our products are available in a variety of finishes to cater to different aesthetic and functional needs: • Polish • Matt • Satin Matt • Lappato • Antislip (R12) Currently, Al Hael Ceramica LLC sells its products across the GCC, catering to a wide range of customers who appreciate the quality, durability, and aesthetic appeal of our offerings.

TIMELINE
الخط الزمني

2006
تأسيس الشركة
Company inception

2008
بدأ الإنتاج
Commenced Production

2011
تم إطلاق المقاس الجديد ٤٥*٢٥
New size 25x40 launched

2012
تمت إضافة طاقة إنتاجية سنوية قدرها مليون متر مربع
Added 1 Million AQM annual production capacity

2013
الحصول على شهادة ISO 9001:2008.
تم إطلاق المقاس الجديد من البلاط السميك ٣٠*٣٠
ISO9001:2008 certification. New size of 30x30 thick tiles launched

2014
إطلاق بلاط مطبوع رقميًا بمقاسي ٥٠*٢٥ و٥٠*٥٠ سم.
إدراج الشركة في الاكتتاب العام في سوق مسقط للأوراق المالية
Launched a digital printed tiles in 25x50, 50x50cm. IPO listing on MS

2015
جائزة آيفا لأفضل الشركات أداءً. تم إطلاق المقاسين ٦٠*٣٠ و ٦٠*٦٠
AIWA award for best performing companies. launched 30x60 & 60x60 size.

2016
تم إطلاق بلاط خارجي بشكل سداسي. جائزة آيفا لأفضل الشركات أداءً
Hexagon shaped exterior tiles launched. AIWA award for best performing companies.

2017
تم إطلاق بلاط خارجي بمقاس ٥٠*٥٠. وتم إطلاق بلاط "يونيتايل" السداسي.
Launched 50x50 exterior tiles. Unitile hexagon launched

2018
تم إطلاق بلاط مقصوص الحواف وبلاط مصقول. إطلاق سلسلة "دايموند إيدج"، وسلسلة "ريفلكسون"، وسلسلة "بلاك فورست". كما تم إطلاق "أل مها هورايزن" - بلاط بورسلان فاخر
Rectified tiles & polished tiles. Diamond edge. Reflexon series. Black forest series launched. Al Maha horizon-premium porcelain tiles launched.

2019
قدّمنا الهوية الجديدة لعلامة المها سيراميك. أطلقنا بلاط «المها بارد» المبرد والبلاط المنقّي للهواء «آي بروتكت» المضاد للبكتيريا. كما تم إطلاق بلاط الجدران مقاس ٦٠*٢٥ ضمن سلسلة DE
Introduced Al Maha Ceramics new brand identity. Launched Al Maha Barid cool tiles & iProtect air cleaning "Anti bacterial" tiles. 25x60 wall tiles in DE series launched.

2020
حصلنا على لقب «سوبر براند». تم تكريمنا كأكثر علامة تجارية موثوقة في سلطنة عمان. نلنا أطلقنا .SASO اعتماد علامة بلاط «المها تيراكوتا» بمقاس ٣٠٠*٣٠٠*١٣مم
Achieved Superbrand status. Awarded as Oman's most trusted brand. SASO mark accreditation. Launched Al Maha Teracota. 300x300x13mm tiles

2021
سوبر براند لعام ٢٠٢١. جائزة جلالة السلطان للتميز لأفضل OER الصناعي. جوائز الممارسات التصنيعية. جوائز آيفا لأفضل الشركات أداءً في سلطنة عمان
Superbrand 2021. HM Sultan Award for industrial excellence. OER Awards for best manufacturing practices. AIWA Awards for Oman's best performing companies.

2022
تم اختيارنا كواحدة من العلامات التجارية الأكثر موثوقية في سلطنة عمان لعام ٢٠٢١. جوائز آيفا لأفضل الشركات أداءً في عمان. الاستحواذ على حصة ٤٥٪ في شركة «الهيال سيراميك»
Chosen as Oman's most trusted brands 2021. AIWA Awards for Oman's best performing companies. Acquived 45% stake in Al Hael Cerammics.

2023
إطلاق بلاط البورسلان بمقاس ٦٠*١٢٠ سم
Introdusing Porcelain tiles in 60x120cm size.

2024
جوائز «العالم - الاقتصاد» لأفضل شركة أداءً. جوائز التميز المؤسسي. تم اختيارنا كأكثر علامة تجارية موثوقة في سلطنة عمان
Al Alam-Iktisaad Awards for best performing company. Corporate excellence awards. Chosen as Oman's most trusted brand.

2025
إطلاق بلاط بمقاس R12 50×50 سم.
الفوز بجائزة تايمز لريادة الأعمال.
إطلاق تصميم الأندلسية بمقاس 30×30 سم.
الفوز بجائزة قمة ريادة الأعمال 2025.
Introducing R12 50x50 tile.
Achieved times business leadership awards.
Introducing Andalusia design 30x30 size.
Winning business leadership summit 2025 awards.

2026
طلاق بلاط البورسلان بمقاسات 30×60، و60×120×2 سم، و60×60×2 سم.**
الفوز بجائزة أفضل علامة تجارية في فئة البلاط ضمن جوائز عُمان لأفضل العلامات التجارية 2026.**
Launched porcelain 30x60, 60x120x2cm, 60x60x2cm.
Winning best brand in tiles at the oman best brands awards 2026.

PLANT & MACHINERY

المصنع والآلات

AL MAHA CERAMICS

The plant is equipped with fully automated Italian machineries;

Plant is sourced from SITI B&T Group (Italy) and Manfredini & Schianchi (Italy) and installed latest technology digital printing machines from Projecta & Tecnoferrari (Italy) which has enabled the company to launch digital printed tiles in oman.

The company has commissioned regions first poblishing lines, which gave an edge to its product portfolio.

The company utilizes dry grinding technology leaading to lower energy consumption, lower consumption of water and faster grinding time.



20,000
SQUARE METERS
Built Up Area

٢٠،٠٠٠
متر مربع
مساحة المنطقة المبنية

150,000
SQUARE METERS
Total Factory Area

١٥٠،٠٠٠
متر مربع
مساحة المصنع الجمالية

المها للسيراميك

المصنع مجهز بآلات إيطالية مؤتمتة بالكامل

وشركة (إيطاليا) SITI B&T وقد تم توريد المعدات من مجموعة
كما تم تركيب أحدث آلات ،(إيطاليا) Manfredini & Schianchi
مما ،(إيطاليا) Tecnoferrariو Projecta الطباعة الرقمية من شركتي
مكن الشركة من إطلاق بلاط مطبوع رقمياً في سلطنة عُمان

وقد قامت الشركة بتشغيل أول خطوط التلميع في المنطقة، مما
منحها ميزة تنافسية ضمن مجموعة منتجاتها

وتستخدم الشركة تقنية الطحن الجاف، مما يؤدي إلى خفض
استهلاك الطاقة، وتقليل استهلاك المياه، وتسريع وقت الطحن

مكابس من Sacmi و Siti B&T	4	Press from Sacmi & Siti B&T
خط التزجيج في خط الإنتاج	3	Glazing line on production line
Kiln فرن بطول 126.5 متر	1	Kiln 126.5M
Kiln فرن بطول 132 متر	1	Kiln 132M
خط التلميع	1	Polishing line
خط القص (التربيع)	1	Squaring line
آلات الطباعة الرقمية على خط الإنتاج	2	Digital printing machine on production line
آلات رقمية في خط الحريق الثالث	2	Digital machines on 3rd firing line
خط التزجيج في خط الحريق الثالث	1	Glazing line on 3rd firing line

AL HAEL PORCELAIN

The plant is equipped with fully automated Italian machineries

الهيل للبورسلين

المصنع مجهز بآلات إيطالية مؤتمتة بالكامل

التحميل الدُفعي	2	Batch Lording
قاطع متعدد الوحدات ١١١ متر	3	BallMill 111M
مُناول البلاط الأوتوماتيكي	3	ATM- Spraydrier
خط التزجيج وآلات الطباعة الرقمية	8	Glazing Line and Digiral printing machines
التلميع والتربيع ١٠٤ متر	1	Polishing & Squaring 104M
فرن ١٦٠ متر	4	Kiln 160M



232,637
SQUARE METERS
Total Factory Area

٢٣٢،٦٣٧
متر مربع
مساحة المصنع الجمالية

46,720
SQUARE METERS
Built Up Area

٤٦،٧٢٠
متر مربع
مساحة المنطقة المبنية

مكبس من شركة	8	Press from Sacmi
الفرز والتعبئة ٤٨ متر	5	Sorting & Packing 48M



AIWA Award
Best Performing Companies
2014,2015,2021,2022

Superbrands U.A.E
2020 & 2021

HM Sultan Award
for Industrial Excellence
2021

Oman's Most Trusted
Brands Award
2019 & 2021 & 2023

OER Manufacturing Award
Excellence in Manufacturing
2021 & 2023

Awards
and Recognitions

Al Maha Ceramics is a pioneer in introducing hi-tech innovations that are a breakthrough in the industry.

A wide range of technologies are used at the company's state-of-the-art plant including digital printing technology, anti-bacterial, Polished Ceramics tiles, temperature controlling Barid tiles and other advanced technologies to name.

The company also won several accolades and Awards in recent years, winning SUPERBRANDs, Oman's Most Trusted Brand award, AIWA award for one of the best performing company, HM Sultan Award for Manufacturing excellence.

الجوائز و التكريمات

المها للسيراميك رائدة في تقديم الأبداعات عالية التقنية التي تعد طفرة في الصناعة. ففي مصنع الشركة المتطور يتم استعمال مجموعة أوسع من التقنيات و تشمل تقنية الطباعة، و البالط المقاوم للبكتيريا، و بالط السيراميك المصقول ،والبالط البارد لضبط درجة الحرارة وتقنيات متقدمة أخرى على سبيل المثال ال الحصر.

ولقد فازت الشركة أيضا بأوسمة وجوائز عديدة خالل السنوات الماضية وفازت بالعالمة تجارية الممتازة، و جائزة عمان ألفضل عالمة تجارية موثوق بها، و جائزة عالم الأقتصاد والأعمال كواحدة من أفضل الشركات العاملة ،وجائزة حضرة صاحب الجاللة للتفوق التصنيعي.

جائزة عالم الأقتصاد والأعمال
أفضل الشركات أداء
٢٠١٤,٢٠١٥,٢٠٢١,٢٠٢٢

العالمات التجارية الفائقة
الإمارات العربية المتحدة
٢٠٢٠,٢٠٢١

جائزة حضرة صاحب الجاللة
للتوفق الصناعي
٢٠٢١

جائزة أفضل العالمات
التجارية موثوقية في عمان
٢٠١٩, ٢٠٢١, ٢٠٢٣

جائزة مكتب البحث
العلمي للتصنيع
٢٠٢١, ٢٠٢٣

COMMUNITY SUPPORT

At Al Maha Ceramics, we regularly contribute to a range of philanthropic projects.

Al Maha Ceramics partners with local organisations to donate tiles and monetary supports to underprivileged communities, the company has been regularly contributing in building Community halls (Majlis,) Masjids, schools, etc, in different localities and towns; these community halls (Majlis) help the locals in society to organize events like Traditional celebrations, Consolations, Wedding Ceremonies, etc.

Al Maha Ceramics has been aiding several educational initiatives and helping needy section of the society in coordination with local certified charitable teams.

الدعم المجتمعي

في شركة المها للسيراميك نساهم بانتظام في مجموعة من المشاريع الخيرية الأنسانية.

وتقوم المها للسيراميك مع المنظمات المحلية بالتبرع بالبالط والدعم المالي للمجتمعات الفقيرة المحرومة، وتساهم الشركة على نحو منتظم في بناء الصالأت المجتمعية (المجالس) والمساجد الخ في الأماكن والمدن المختلفة؛ وتساعد هذه الصاالت (المجالس) السكان المحليين بالمجتمع في عقد وتنظيم فعاليات مثل الأحتفالأت التقليدية، والتعازي، ومراسم الزفاف الخ.

وتساعد المها للسيراميك في المبادرات التعليمية العديدة وتساعد القطاع المعوز في المجتمع بالتنسيق مع الفرق المحلية الخيرية المعتمدة.






PRODUCTS

Al Maha Ceramics offers a diverse range of products to cater market need & demand. The company produces a range of ceramic wall tiles and floor tiles in various sizes.

المنتجات

تقدم المها للسيراميك مجموعة متنوعة من المنتجات لتغطية حاجة و طلب السوق. وتنتج الشركة مجموعة من بالط سيراميك الحوائط و بالط الأرضيات بمقاسات متنوعة. وتنتج المها بتشطيبات متعددة مثل البالط المط الغير الالمع، والالمع والنص المع و الغير المع الطيلساني والبالط الخارجي الخ



Ceramics / للسيراميك

300x300x8 mm
300x600x9 mm (Unrectified/Rectified)
600x600x10 mm (Unrectified/Rectified)
500x500x14 mm Exterior Tiles
500x500x9.5 mm

Porcelain tiles are made of a high density, strong, non-porous ceramic material and can be used for floor and wall coverings. They are extremely resistant to abrasion, waterproof, hypoallergenic, safe and environmentally friendly.

Porcelain / البورسلين

300x600x9 mm
600x600x9 mm
600x600x20 mm
600x1200x10 mm
600x1200x20 mm
600x1200x10 mm (Full Body)

تصنع بلاط البورسلين من مادة خزفية عالية الكثافة، قوية وغير مسامية، ويمكن استخدامها لتغطية الأرضيات والجدران. وهي مقاومة للغاية للتآكل، مقاومة للماء، لا تسبب الحساسية، آمنة وصديقة للبيئة

Our Brands / علاماتنا التجارية

iprotect AIR CLEANING • ANTI MICROBIAL

BARID Cool Tiles from Al Maha

ReflexOn Strength of Porcelain and Finish of Mirror

Diamond Edge Rectified Tiles

PORCELAIN TILE

ANTI SLIP R11 CERTIFIED

ANTI SLIP R12CERTIFIED



PRODUCTS
المنتجات

30X30
(Matt, R12, iProtect, Andalusia Series
8mm Thickness)

30X60
(Ceramic: Normal, DE, RX, iProtect 9mm Thickness)
(Porcelain: White Body 9mm Thickness)

50X50
(Interior 9.5mm Thickness)
(Barid 9.5mm Thickness)
(R11, R12, Exterior 14mm Thickness)

60X60
(Ceramic: Anti-slip, DE, RX 10mm Thickness)
(Porcelain: 9mm & 20mm Thinkness)

60X120
(Porcelain: White Body, Full Body, 10mm & 20mm Thikness)

تل الحمض النووي/
الحمض النووي الريبوزي


DNA/RNA
Damage

تسرب
البوتاسيوم

Potassium
Leakage

تفكك الغشاء

Membrane
Rupture



TiO_2

Based Ion Technology Leading
to Zero Cytotoxicity

بناء على التقنية المؤدية
إلى صفر سمية الخالي



بعد انتاج
العوامل المؤكسدة

After Oxidising
Agents Produced

TiO_2 Coating

Ceramic

KILLS
99.99%
Bacterial & Microbes

HOW IT WORKS

Anti-Microbial TiO2 activates the photocatalytic process in the presence of light and humidity to create highly reactive hydroxyl radicals this breaks the wall of a bacteria cell and kills up 99.99% bacteria to produce harmless H2O and COz.

كيف تعمل التقنية

تقوم مادة ثاني أكسيد التيتانيوم (TiO_2) المضادة للميكروبات بتنشيط عملية التحفيز الضوئي بوجود الضوء والرطوبة، مما يؤدي إلي القضاء علي ما يصل إلي ٩٩.٩٩٪ من البكتيريا، و تحويلها إلي مواد غير ضارة، مثل الماء (H_2O) و ثاني أكسيد الكربون (CO_2)



IPROTECT TILES FEATURES

Anti-Bacterial	Chemical Resistant	مقاوم للمواد الكيميائية	مضاد للبكتيريا
Air-Cleaning	Life Time Protection	حماية مدى الحياة	منق للهواء
Anti-Odor	Self Clean Technology	تقنية التنظيف الذاتي	مضّاد للروائح
Anti Toxic	Scratch & Strain Resistant	مقاوم للخدوش والبقع	مضاد للمواد السامة

PRODUCTS
المنتجات











iprotect
AIR CLEANING • ANTI MICROBIAL

- ✓ Iso 27447 : 2009 — ✓ الأيزو ٢٧٤٤٧ : ٢٠٠٩
- ✓ Kills 99.99% Bacteria and Microbes — ✓ يقتل ٩٩,٩٩٪ من البكتيريا والميكروبات
- ✓ Improves Indoor Air quality — ✓ ويحسن جودة الهواء الداخلي

STANDARD GLAZE
Microscopic view
المزجج المعياري
منظر مجهري



AL MAHA IPROTECT
Microscopic view
المها للحماية
منظر مجهري





BARID
Cool Tiles from Al Maha

EXTREME WEATHER CONDITION IN GCC WITH HIGH TEMPERATURE

- The radiations and heat of sunlight rapidly increases the temperature
- The heat penetration results in temperature increase indoors causing discomfort
- Resulting higher energy to cool down

حالة الطقس الغير مُطاقة مع ارتفاع في درجات الحرارة في دول مجلس التعاون الخليجي

- تزيد الأشعات و ضوء الشمس من درجة الحرارة بسرعة
- تتغلغل الحرارة وتؤدي الى ارتفاع درجة الحرارة داخل المنازل مما يسبب عدم الارتياح
- مما ينتج عنه زيادة في استهلاك الكهرباء لتخفيض درجة الحرارة

BARID
Cool Tiles from Al Maha

Save Electricity
يوفر الكهرباء

Provides Comfort
يعطي الراحة

Cool Indoors & Outdoors
يُبرد داخليا وخارجيا

Confirms ASTM C 1549
يتطابق مع الجمعية الأمريكية لالختبارات والمواد سي ١٥٤٩

ASTM C 1371
والجمعية الأمريكية لالختبارات والمواد سي ١٣٧١

ASTM E 1980:1
و الجمعية الأمريكية لالختبارات والمواد إلى ١٩٨٠:١

بلاط البارد
BARID COOL TILES
SRI~90

BARID NORMAL TILE

50X50X0.95 cm
White, Cream, Grey Color
Rectified Tiles
Easy Cleaning
Water Resistant

BARID THICK TILE

50X50X1.4 cm
Different Designs



BARID COOL TILES FEATURES
سمات بلاط البارد

Solar Reflective Index of Approximately 110
More Reflection Means Cooler Surface By 20%

مؤشر انعكاس شمسي بحوالي ١١٠
انعكاس أكثر يعني سطح أبرد بت ٢٠ %

High Opacity Levels of 95%
Pure White Premium Look

مستويات العتامة العليا ٩٥%
منظر أبيض نقي ممتاز

Solar Radiation Absorption is 50% Less
Less Absorption Means Cooler Surface By 20%

امتصاص الإشعاع الشمسي أقل ٥٠ %
امتصاص لأقل يعني الأسطح أبرد بت ٢٠ %

Thermal Comfort at Rooftops & Facades
Better Energy Efficiency By 11-20%

راحة حرارية في أعلي الأسطح والواجهات
كفاءة الطاقة أفضل بت ٢٠–١١ %



ANTI-SLIP TILES – SAFETY IN EVERY STEP

Our anti-slip tiles are specifically designed to provide maximum safety in areas prone to moisture and water, such as bathrooms, kitchens, hallways, and outdoor spaces. These tiles feature a textured or grip-enhanced surface that helps prevent slipping, even when wet, making them ideal for homes, schools, hospitals, and public facilities.



بلاط مقاوم للانزلاق – الأمان في كل خطوة

تـم تصميـم بلاطنـا المقـاوم للانـزلاق خصيصًـا لضمـان أقصى درجـات الأمـان في المسـاحات المعرضـة للرطوبـة والمـاء، مثـل الحمّامـات، المطابخ، الممرات، والمناطق الخارجية
تتميز هذه البلاطات بسطح خشن أو محكم يمنع الانزلاق حتى عند البلل، مما يجعلها مثالية للمنازل، المدارس، المستشفيات، والمرافق العامة

High R-rated slip resistance surface	سطح مانع للانزلاق حاصل علي تصنيف مقاومة عالي
Suitable for both indoor and outdoor use	آمن للاستخدام في المناطق الداخلية والخارجية
Resistant to wear and scratches	مقاوم للتآكل والخدوش
Easy to clean and maintain	سهل التنظيف والصيانة
Ideal for high-traffic areas	مثالي للأماكن ذات الحركة الكثيفة

PRODUCTS

المنتجات

PORCELAIN TILE

WHAT ARE PORCELAIN TILES?

Porcelain tiles are made of a high density, strong, non-porous ceramic material and can be used for floor and wall coverings. They are extremely resistant to abrasion, waterproof, hypoallergenic, safe and environmentally friendly.



300x600x9mm
Lappato, Matt, Polish, Satin Matt Finish



600x600x20mm
Matt Finish



600x1200x10mm
600x1200x20mm
Lappato, Matt, Polish, Satin Matt Finish



600x1200x10mm
(Full Body) Flaxes, Salt & Pepper Finish



600x600x9mm
Lappato, Matt, Satin Matt Finish



FEATURES OF AL MAHA PORCELAIN TILES

- **UNIQUE COMPOSITION:** Al Maha Porcelain distinguishes itself by its unique composition.
- **WATER RESISTANT:** Al Maha Porcelain tiles are highly water-resistant due to their low porosity.
- **DURABILITY:** Al Maha Porcelain tiles are extremely durable and resistant to staining, scratching, and fading.
- **LOW MAINTENANCE:** They are easy to clean and maintain.
- **DESIGN FLEXIBILITY:** Al Maha Porcelain offers a blend of functionality and style that is hard to match by other tiling options

HOW DURABLE ARE AL MAHA PORCELAIN TILES?

Al Maha Porcelain tiles are very resistant to both wear and temperature changes. If treated with care, they can last for many years.

WHERE ARE AL MAHA PORCELAIN TILES USE?

Al Maha Porcelain tiles are commonly used in indoor and outdoor spaces for flooring, both in homes and in public and commercial buildings.

PORCELAIN TECHNICAL FEATURES			
	Deviation In Length & Width		Impact Resistance
	Deviation In Thickness		Frost Resistance
90°	Straightness Of Sides	+ -	Thermal Shock Resistance
	Rectanqularity		Moisture Expansion
	Surface Flatness: Centre Curvature		Thermal Expansion (COE)
	Surface Flatness: Edge Curvature		Crazing Resistance
	Surface Flatness: Warpage		Chemical Resistance
H_2O	Water Absorption		Stain Resistance
	Modulus of Rupture		Lead & Cadmium Release- Countertops
KG	Breaking Strength		Surface Quality
	Surface Abrasion Resistance		



PORCELAIN TILE

We believe in the development of lifestyles and in being a globally innovative brand. We strive to set ourselves apart through the services and products we offer. We appreciate long-lasting values creation. We intend to increase our production capacity every year by boosting sales with our organized and scientific plans. We want Al Maha Porcelain to be a part of everyone's home.

APPLICATION AREAS

- Living Room
- Residential Area
- Dining Area
- Children's Room
- Comercial Area
- Bedroom Area
- TV Room



Landscape 20mm is a durable and aesthetically pleasing material for outdoor spaces. Its 20 mm thickness provides excellent strength, making it suitable for both indoor and outdoor public areas. It can be easily installed on grass, sand, or gravel, and when glued to screed it is ideal for walkways, driveways, ramps, garages, and raised floors.



TOP PERFORMANCE FOR OUTDOOR SPACES

Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN

PRESTIGIOUS PROJECTS

Sultanate of Oman | UAE | Saudi Arabia | Lebonan | Pakistan

MAM Camp, MOD - Thumrait
Ministry of Defence, Military Technical college - Ghala
Ministry of Defence, Maritime Head Quarter - Ghala
Al Worood Neighbourhoods, Jeddha, KSA
SEZ Headquarter building - Duqm
Mosque - Qurm
Sawari Center - Sohar
20 Villa Project for Ministry of Housing - Adam
6 Schools - Ministry of Education
Different Buildings - Ministry of Court Affairs
Ai Najmat Al Fujara Trading - Saham
General Federation Oman Trade Union Building - Ghala
Tamara Commercial / Residential Project - Azaiba
Daliya Commercial / Residential Project - Qurm
Badr Al Hamra Commercial / Residential Project - Qurm
Al Khuwair 825 Commercial / Residential Project - Al Khuwair
Air Base - Adam
Blakout Hills, Beirut, Lebanon
Fahmy Furniture New Building - Azaiba
Al Tasnim Nizwa Building - Ghala
Antimony Factory - Sohar
Fauzan Commercial / Residential Project - Ameerat
Amira 1 Commercial / Residential Project - Ameerat
Amira 2 Commercial / Residential Project - Mabela
Kamaal 1 Commercial / Residential - AL Hail
Al Zahara Commercial / Residential Project - Salalah
Mazoon Dairy - Buraimi
LuLu Hypermarket
Dubai South Accommodation BLCO - UAE
Al Wasil - UAE
Jenmars - UAE







Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN

سندان
SANDAN

Madinat Sandan in Halban Oman

مدينة ساندان في حلبان ، عمان






Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN


شركة النماء للدواجن ش.م.ع.م
A'Namaa Poultry Co. s.a.o.c

شركة النماء للدواجن في عبري ، عمان

A'Namaa Poultry Co in Ibri Oman









Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN

مزون
mazoon

Mazoon Dairy Company in Oman

شركة مزون لألبان في عمان









Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN


النهضة
Renaissance

Renaissance Village Duqm Oman

قرية النهضة ، الدقم ،عمان









Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN

حـي الـنـسـيـم
HAI AL NASEEM
واحة عـصـرية | AN URBAN OASIS

صـروح
SUROUH

Hai Al Naseem Project in Oman

مشروع حي النسيم في عمان



QUALITY STANDARDS
ISO CERTIFICATE

معايير الجودة
شهادة الأيزو



QUALITY CERTIFICATES & MARKS

ISO 9001:2015 procedures at Al Maha helps ensure that the customers get consistent good quality products and services. It also helps the organization to improve customer satisfaction, motivate employees and promote a culture of continual improvement.
Al Maha Ceramics manufactures ceramic tiles according to the latest version of ISO 13006:2018.

شهادات ودرجات الجودة

الأيزو ٢٠١٥ : ٩٠٠١ تساعد الإجراءات لدى المها في ضمان حصول العملاء على منتجات وخدمات ذات جودة جيدة. وتساعد المؤسسة أيضا في تحسين رضاء العملاء وتحفيز الموظفين و ترويج التحسين المستمر.
وتنتج المها للسيراميك بالط سيراميك طبقا ألحدث نسخة من الأيزو ٢٠١٨ : ١٣٠٠٦.

INTERCERT®

CERTIFICATE OF REGISTRATION

INTERCERT hereby certifies that the Quality Management Systems of

AL MAHA CERAMICS SAOG

FALAJ AL QABAIL, SOHAR, P.O.BOX: 482, P.C:322, SULTANATE OF OMAN

Has been successfully assessed as per the requirements of

ISO 9001:2015

For the scope of

Design, Manufacture & Supply of Ceramic Tiles.

Initial Certification Date	: April 01, 2026
Certificate Issue Date	: April 01, 2026
Surveillance Validity Date	: March 31, 2027
Recertification Date	: March 31, 2029

Registration Number: IC-QM-2604007

This Certificate is valid from April 01, 2026 to March 31, 2027

Issued on behalf of InterCert
Head - Certifications

INTERCERT REGISTERED

The validity of this certificate can be verified at **www.intercert.com** or through email at **info@intercert.com**. This certificate is the property of **INTERCERT INC**, 2001 Timberloch Place - Suite 500, The Woodlands, Texas 77380, United States and must be returned on request.

مختبرات ويمبي ش.ذ.م.م.
WIMPEY LABORATORIES L.L.C.

IAS ACCREDITED TL-564

LABORATORY REPORT

Al Maha Ceramics SAOG
P.O. Box 482,
Sohar, Sultanate of Oman

Report No: WD-R-240710-1057
Sample No: WD-S-240710-1002
Date of Report: 17/07/2024

Introduction: Further to the request received from **M/s. Al Maha Ceramics SAOG** dated 10th July 2024, the sample of Tile was tested for the parameters below and the results are as follows.

Sample Type : Tile
Request No. : WD-Q-240710-0306
Sample Date Received : 10/07/2024
Date of Test : 10/07/2024-17/07/2024
Tested By : AY

General Information
Name of the Product : DE500x500 mm Al Maha Barid

Solar Reflectance Index (SRI)
Test methods
Emissivity : ASTM C 1371
Solar reflectance : ASTM C 1549
SRI for wind condition (Low, Medium, High) : ASTM E 1980:01

Thermal emissivity: 0.76 — Solar reflectance (%): 82.51

Condition	Low wind (0-2 m/s)	Medium wind (2-6 m/s)	High wind (6-30 m/s)
Convective coefficient, ($W/(m^2K)$)	5.0	12.0	30.0
Roof surface temperature (°C)	49.4	44.4	40.6
Solar reflectance index, SRI	**100**	**101**	**101**

Remarks: None

Signed for and on behalf of Wimpey Laboratories LLC

Anandu VS
Section In charge Chemistry-Specialty
Test results relate only to the samples tested.
This report shall not be reproduced except in full, without the written approval of the laboratory.
-End of text-

Form # WLRF 90 Issue No.1 Issued on : 29/05/2019

مختبرات ويمبي
WIMPEY LABORATORIES

DAC LB 016-TEST

AIR QUALITY MONITORING - TEST REPORT

REPORT NUMBER : **WLR19-1318.02**
SAMPLE NUMBER : **WS19-1318.02**
DATE OF REPORTING : **05/02/2019**
PAGE: 01 OF 01

NAME OF CLIENT : **AL MAHA CERAMICS SAOG**
ADDRESS OF CLIENT : **P O BOX: 482**
CITY : SOHAR
COUNTRY : OMAN

PRODUCT NAME : **FLOOR TILES**
SAMPLE CODE : **IA-AB CERAMIC GLAZE TILES 600x600x10MM (IP)**
DATE OF TEST CONDUCTED : 31.01.2019
TIME OF TEST CONDUCTED : 09:15hr – 17:15hr

RESULT OF THE MEASUREMENT

PARAMETER	METHOD	UNIT	RESULT
Temperature	BSEN 60079-29-2:2015	°C	26.10
Relative Humidity	BSEN 60079-29-2:2015	%	50.2
TVOC	BSEN 60079-29-2:2015	$\mu g/m^3$	2389.3

Authorized Signatory

.....

Ishrar Hussain
Environmental Supervisor

****END OF THE REPORT****

مختبرات ويمبي ش.ذ.م.م.
WIMPEY LABORATORIES L.L.C.

LB-TEST-016

TEST REPORT

AL MAHA CERAMICS SAOG
P.O.BOX : 482, SOHAR, OMAN

Report No. : WD-R-260312-0518
Sample No. : WD-S-260312-1036
Date of reporting : 25.03.2026

DATE OF TEST CONDUCTED : 24.03.2026
TIME OF TEST CONDUCTED : 09:00hr - 17:00hr
PRODUCT NAME : FLOOR TILES
SAMPLE CODE : PORCELAIN GLAZED TILES (600X600mm)
RESULT OF THE MEASURMENT

TEST PARAMETER	METHOD	UNIT	RESULT
TEMPERATURE	OTM SECTION III CHAPTER 2	°C	23.0
RELATIVE HUMIDITY	OTM SECTION IIICHAPTER 2	%	48.1
TVOC	OTM SECTION IIICHAPTER 2	µg/m3	488

Remarks: - All equipment data was recorded after considering the calibration result

Signed for and on behalf of Wimpey Laboratories
Authorized Signatory

Ishrar Hussain
Manager
Environment Division (UAE)
Test results relate only to the samples tested.
This report shall not be reproduced except in full, without the written approval of the laboratory.

-End of text-

Page 1 of 1

Form# WLRF-103 ISSUE NO.01 23/06/2019

مختبرات ويمبي
WIMPEY LABORATORIES
Part of the Cotecna Group

TEST REPORT

Al Maha Ceramics SAOG

Report No: WD-R-260312-0674
Sample No:WD-S-260312-1148
Date of Report: 19/03/2026

Introduction: Further to the request received from **M/s.Al Maha Ceramics SAOG** dated on 12th March 2026, the sample of Tile was tested for the below parameters.

Sample Type :AL MAHA PORCELAIN TILE
Request Number :WD-Q-260312-0138
Sample Received Date :12/03/2026
Date of Test :12/03/2026-19/03/2026
Tested By : SC-Subcontract

General Information
Name of the Product : AL MAHA PORCELAIN TILE

Asbestos Content
Test method
USEPA 600/R-93/116; Method for the Determination of Asbestos in Bulk Building Material.

Sl. No.	Tested Mineral	Morphology and Color	Total Slide score	Result
1.	Tremolite asbestos (CAS No. 77536-68-6)	No straight to curved fibers and bundles observed	0	No known species of asbestos minerals are present
2.	Actinolite asbestos (CAS No. 77536-66-4)		0	
3.	Anthophyllite asbestos (CAS No. 77536-67-5)		0	
4.	Chrysotile asbestos (CAS No. 12001-29-5)	No wavy fibers observed	0	
5.	Amosite asbestos (CAS No. 12172-73-5)	No straight to curved, rigid fibers observed	0	
6.	Crocidolite asbestos (CAS No. 12001-28-4)		0	

Remark: None
Signed for and on behalf of Wimpey Laboratories LLC

Anandu VS
Section In charge Chemistry-Specialty
Test results relate only to the samples tested.
This report shall not be reproduced except in full, without the written approval of the laboratory.
End of text-

Form # WLRF 90 Issue No.1 Issued on : 29/05/2019

ميديل ايست لخدمات الفحص ذ.م.م.
Middle East Testing Services L.L.C.

TEST REPORT

Report No.: MR-170925-003

Client / Establishment	: M/s. Al Maha Ceramics SAOG Falaj Al Qabail, Sohar, P.O Box: 482 Sultanate of Oman

Sample ID	: MS-170925-003
Sample Receiving Date	: 17/09/2025
Reporting Date	: 02/10/2025
Date of Analysis	: 17/09/2025-20/09/2025
Tested by	: AP
Issue No	: 01 (Re-Issue Date: NA)

Sample Information:

Sample Description	: Ceramic Tile- LT. (14MM)
Additional Information	: AL MAHA GLAZED CERAMIC TILES:500x500x14mm: SA-83

Test Results :

Parameter		Test Method	Unit	Result
Slip Resistance	Dry Slip	DIN 51130-2014	BPN	70
	Wet Slip			60

"R" Rating Value	R12

'R' Rating Value	Pendulum Test Value
R9	11-13
R10	13-34
R11	34-51
R12	51-70
R13	70+

AJMAN (UAE) +971 58 950 5070 | ABU DHABI (UAE) +971 52 167 5802 | DOHA (QATAR) +974 77825070 | CUMBRIA (UK) +44 7526 505070 | GURUGRAM (INDIA) +91 88005 05077
W : www.metslab.com
E : lab@metslab.com

ميديل ايست لخدمات الفحص ذ.م.م.
Middle East Testing Services L.L.C.

Report No.: MR-170925-003

Slip Prevention "R" Ratings:

'R' Rating Value	Resistance to Slip & Recommendation
R9	Very poor – Slip injurious certain to occur
R10	Poor – Slip injurious likely to occur
R11	Better, but can still fail pendulum test
R12	Good – Minimum recommended
R13	Best – Especially on slopes

Note: No Traceability details were provided by the client
Test Location: Ajman

Prepared by

Team Head
Material Science Division (MSD)
Employee Code: METS AJ EC 220

Verified by

Supervisor
Fire & Material Science Division
Employee Code: METS AJ EC 110

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory. For further clarification of reports, please contact qc@metslab.com

-End of Report-

AJMAN (UAE) +971 58 950 5070 | ABU DHABI (UAE) +971 52 167 5802 | DOHA (QATAR) +974 77825070 | CUMBRIA (UK) +44 7526 505070 | GURUGRAM (INDIA) +91 88005 05077
W : www.metslab.com
E : lab@metslab.com

WIMPEY LABORATORIES مختبرات ويمبي

TEST REPORT ON DETERMINATION OF SHOD RAMP TEST

Client	Al Maha Ceramics SAOG, P.O Box:482, Falaj AL Qabail, Sohar, Sulthanate of Oman.		
Sample Description	Tile AM-500x500x14 mm	Lab Report No.	WLRP20-1887
Source	Al Maha Ceramics SAOG.	Sample No.	WSP20-1887
Sample Preparation Method	DIN 51130:2014	Date Received	09/07/2020
Test Method	DIN 51130:2014	Date Tested	22/07/2020
Nominal Size(LxW)	500mm x 500m	Date Reported	25/07/2020
Test Temperature	23°C	Relative Humidity	50%
Sample brought in by	Client	Tested By	SC

Test Results

Test Description	Test Method	Result
Shod Ramp Test	DIN 51130:2014	R11

Angle of Acceptance	Assessment Group
From 6° to 10°	R9 (Very Unsafe)
More than 10° to 19°	R10 (Unsafe)
More than 19° to 27°	R11 (Moderately Safe)
More than 27° to 35°	R12 (Safe)
More than 35°	R13 (Very safe)

Remarks: None.

Signed for and on behalf of Wimpey Laboratories

WIMPEY LABORATORIES * P.O.BOX:123279,DUBAI-U.A.E. *

Visakh S Nair
Laboratory Supervisor

Test results relate only to the samples tested
This report shall not be reproduced except in full, without the written approval of the laboratory.
This test was done by sub-contract.

-End of text-

صُنع في عُمان
Made in OMAN

سلطنة عمان
Sultanate of Oman
وزارة التجارة والصناعة وترويج الاستثمار
Ministry of Commerce, Industry & Investment Promotion

National Product Identity Certificate		شهادة هوية المنتج الوطني
CR Name	ALMAHA CERAMICS	السجل التجاري
CR Number	1809148	رقم السجل التجاري
Certificate Number	MOCIIP/MIO-562	رقم الشهادة
Release Date	2026-02-22	تاريخ الاصدار
Expiry Date	2029-02-22	تاريخ انتهاء الصلاحيه

License Number	L1103456	رقم الترخيص

Products المنتجات

رقم النشاط Activity Number	الماركه Brand	رمز النظام المنسق HS Code	اسم المنتج Product Name	
239202	المها للسيراميك والبورسلين	690410000000	Building bricks	1
239202	al maha ceramics & porcelain	690410000000	Building bricks	2
239202	al maha ceramics & porcelain	690410000000	Building bricks	3

تم منح هذه الشهادة للمنتجات المرفقة

تجاره
TEJARAH

An Official Digitally Certified Document Issued By Made In Oman Platform. To Review The Validity Of The Data Contained In The Document, Please Visit Made In Oman Platform Via The URL, Or Scan The QR Code

www.madeinoman.gov.om

وثيقة رسمية مصدقة رقمياً صادرة من منصة "صنع في عمان". لمراجعة صحة البيانات الواردة في الوثيقة، يرجى زيارة منصة "صنع في عمان" عبر الرابط الإلكتروني أو مسح رمز الاستجابة السريع (QR Code)

Info@tejarah.gov.om | Call Centre +968 80000070 | P.O. Box: 550 | PC: 100

Certification By The Competent Government Authority: تصديق الجهة الحكومية المختصة :

Director Of Industrial Operations Department مدير دائرة العمليات الصناعية :

الهيئة السعودية للمواصفات والجودة
Saudi Standards, Metrology and Quality Org.

شـهـادة ترخيص باستعمال علامة الجودة
License For Use of The Quality Mark

License Number: **20230454121** رقم الترخيص:

SASO certifies that it has granted the right to use (SASO) quality mark on the following products, after fulfilling the required requirements according to the related normative references:

تشهد الهيئة الســعوجة للمواصفات والمقاييس والجودة بأنها رخصت باستعمال علامـــة الجودة على المنتجات الموضحة أدناه بعد اســتيفاءها للمتطلبات اللازمة وفق المراجع القياسية الخاصة بها:

The Establishment:	المها للسيراميك ش م ع ع	المنشأة:
The Establishment's Address:	صحار – سلطنة عمان	عنوان المنشآة:
Production Line Location:	صحار – سلطنة عمان	موقع خط الإنتاج:
Normative References:	SASO GSO ISO 13006:2022	المراجع القياسية:
The Trade Mark:	المها للسيراميك والبورسلين	العلامة التجارية:
The Product:	بلاط السيراميك	المنتج: (تفاصيل المنتج في الملحق)
Date of Granting:	2023/03/05	تاريخ المنح:
Date of Renwal:	2026/03/05	تاريخ التجديد:
Date of Expiry:	2029/03/05	تاريخ الانتهاء:

مدير عام الإدارة العامة لمنح الشهادات المكلف
Acting Director General of Certification Department

المهندس/ سلطان بن صالح الشهري
Eng. Sultan S. AlShehri

الاعتماد السعودي Saudi Accreditation — Product N-P-00004
GCC ACCREDITATION CENTER GAC — Product Certification ISO/IEC 17065:2012 APC 0044

للتأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي كشط أو تغيير في هذه الشهادة يلغيها.
To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

ملحق شهادة ترخيص باستعمال علامة الجودة
Appendix (license For Use of The Quality Mark)

المنشأة:	المها للسيراميك ش م ع ع
رقم الترخيص:	20230454121
تاريخ انتهاء الترخيص:	2029/03/05
المنتج:	بلاط السيراميك
العلامة التجارية:	المها للسيراميك والبورسلين

م No.	الصنف Classification	المقاسات Size	تاريخ المنح/التجديد Date of Granting/Renewal
1	بلاط سيراميك مشكل بالكبس الجاف متوسط الامتصاص للماء 6% ≥Ev> 10% مجموعة (BIIb) مرجع (Glazed)	-	2026/03/05
2	بلاط سيراميك مشكل بالكبس الجاف عالي الامتصاص للماء Ev>10% ، مجموعة (BIII) مرجع (Glazed)	-	2026/03/05

The establishment:
Certificate No.:
Certificate Expiration Date:
Product:
Brand Name:

الإدارة العامة للشهادات
الهيئة السعودية للمواصفات والمقاييس والجودة
Saudi Standards, Metrology and Quality Org.

الاعتماد السعودي Saudi Accreditation — Product N-P-00004
GCC ACCREDITATION CENTER GAC — Product Certification ISO/IEC 17065:2012 APC 0044

للتأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي كشط أو تغيير في هذه الشهادة يلغيها.
To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

علامة الجودة العُمانية
Omani Quality Mark

وزارة التجارة والصناعة وترويج الاستثمار
Ministry of Commerce, Industry and Investment Promotion

شهادة ترخيص باستخدام علامة الجودة العمانية

License Certificate for the use of the Omani Quality Mark

License number: 10/2026 رقم الترخيص:

The Directorate General for Standards and Metrology at the Ministry of Commerce, Industry and Investment Promotion hereby certifies that it has licensed this facility to use the Omani Quality Mark, after fulfilling the requirements of the Quality Mark Regulation, pursuant to Ministerial Decision No. (718/2024), on the products listed in the annex to the license

تشـهد المديرية العامة للمواصـفات والمقاييس بوزارة التجارة والصناعة وترويج الاستثمار بانها قد منحت هذه المنشاة ترخيصًا لاستخدام علامة الجودة (العُمانية) بعد استيفائها متطلبات لائحة علامة الجودة وذلك استنادًا إلى القرار الوزاري رقم (٧١٨ / ٢٠٢٤) على المنتجات الواردة في ملحق هذا الترخيص

The Facility:	AL MAHA CERAMICS SAOG	المنشاة:
Facility address:	PO BOX: 482, POSTAL CODE 322, FALAJ AL QABAIL, SOHAR, SULTANATE OF OMAN	عنوان المنشاة:
Production line address:	PO BOX: 482, POSTAL CODE 322, FALAJ AL QABAIL, SOHAR, SULTANATE OF OMAN	عنوان خط الإنتاج:
License issue date:	23/07/2026	تاريخ إصدار الترخيص:
License expiry date:	23/07/2029	تاريخ انتهاء الترخيص:

مدير دائرة المطابقة
Director of the Conformity Department

دائرة المطابقة

ص.ب.: 550 الرمز البريدي: 100، مسقط، سلطنة عُمان، هاتف: 80000070، البريد الإلكتروني info@tejarah.gov.om

وزارة التجارة والصناعة وترويج الاستثمار
Ministry of Commerce, Industry and Investment Promotion

المنشاة: AL MAHA CERAMICS SAOG
رقم الترخيص: P342052
تاريخ إصدار الترخيص: 23/07/2026
تاريخ انتهاء الترخيص: 23/07/2029
المنتج: CERAMIC TILES
المواصفة القياسية: OS GSO ISO 13006:2021

ملحق
Appendix

No.	Classification	Trademark	Date of Grant
1	Dry-pressed ceramic tiles with water absorption 6%<E≤10%, Group (BIIb), Glazed, Rectified	AL MAHA CERAMICS & PORCELAIN	23/07/2026
2	Dry-pressed ceramic tiles with water absorption E>10%, Group (BIII), Glazed, Rectified and Non-Rectified	AL MAHA CERAMICS & PORCELAIN	23/07/2026

The Facility
Permit Number:
License Issue Date:
License Expiry Date:
Product:
Standard:

علامة الجودة العُمانية
Omani Quality Mark

مدير دائرة المطابقة
Director of the Conformity Department

دائرة المطابقة

ص.ب.: 550 الرمز البريدي: 100، مسقط، سلطنة عُمان، هاتف: 80000070، البريد الإلكتروني info@tejarah.gov.om

TECHNICAL SPECIFICATION OF GLAZED CERAMIC TILES POLISHED (RECTIFIED)

CHARACTERISTIC	STANDARD AS PER ISO-13006:2018 GROUP BLLB	AL MAHA RX 600X600X10MM		
Deviation in length & width	± 0.30%	± 0.15%		
Deviation in thickness	±10%	±10%		
Straightness of sides	± 0.30%	± 0.15%		
Rectanqularity	± 0.30%	± 0.15%		
Surface flatness: Centre curvature	± 0.40%	± 0.25%		
Surface flatness: Edge curvature	± 0.40%	± 0.25%		
Surface flatness: Warpage	± 0.40%	± 0.25%		
Water absprption	6 to <10%	6 to <10%		
Modulus of rupture	Min.18 N/mm'	Min.25 N/mm2		
Breaking strength	Min. 800 N	>1600 N		
Surface Abrasion Resistance	As Per Mfq.	CLASS 4		
Impact Resistance	<0.55	<0.40		
Frost resistance	No Damage	Frost Proof		
Thermal shock resistance	No Damage	No Damage		
Moisture expansion	<0.65mm/M	<0.3mm/M		
Thermal expansion (COE)	Nax, 9.0X10-^	Max, 6.5X10-'		
Crazing resistance	As Per Mfq.	No Craze		
Chemical resistance	No Damage	No Damage		
Stain resistance	Resistant	Min.Class 3		
Lead & cadmium release- countertops		<0.03mg/dm2		

TECHNICAL SPECIFICATION OF GLAZED CERAMIC TILES (RECTIFIED)

CHARACTERISTIC	STANDARD AS PER ISO-13006:2018 GROUP BLLL	AL MAHA DE 600X600X10MM	AL MAHA DE 300X600X9MM	
Deviation in length & width	± 0.30%	± 0.15%	± 0.15%	
Deviation in thickness	±10%	±10%	±10%	
Straightness of sides	± 0.30%	± 0.15%	± 0.15%	
Rectanqularity	± 0.30%	± 0.15%	± 0.15%	
Surface flatness: Centre curvature	± 0.40%	± 0.25%	± 0.25%	
Surface flatness: Edge curvature	± 0.40%	± 0.25%	± 0.25%	
Surface flatness: Warpage	± 0.40%	± 0.25%	± 0.25%	
Water absprption	>10%	>10%	>10%	
Modulus of rupture	Min.12 N/mm'	Min.20 N/mm2	Min.20 N/mm2	
Breaking strength	Min. 600 N	>1000 N	>1000 N	
Surface Abrasion Resistance	As Per Mfq.	CLASS 4	CLASS 4	
Impact Resistance	<0.55	<0.40	<0.40	
Frost resistance	No Damage	Frost Proof	Frost Proof	
Thermal shock resistance	No Damage	No Damage	No Damage	
Moisture expansion	<0.65mm/M	<0.3mm/M	<0.3mm/M	
Thermal expansion (COE)	Nax, 9.0X10-^	Max, 6.5X10-'	Max, 6.5X10-'	
Crazing resistance	As Per Mfq.	No Craze	No Craze	
Chemical resistance	No Damage	No Damage	No Damage	
Stain resistance	Resistant	Min.Class 3	Min.Class 3	
Lead & cadmium release- countertops		<0.03mg/dm2	<0.03mg/dm2	

TECHNICAL SPECIFICATION OF GLAZED CERAMIC TILES (NON RECTIFIED)

CHARACTERISTIC	STANDARD AS PER ISO-13006:2018 GROUP BLLL	AL MAHA 500X500X14MM	AL MAHA 500X500X9.5MM	AL MAHA RX 300X300X8MM
Deviation in length & width	± 0.60%	± 0.40%	± 0.40%	± 0.40%
Deviation in thickness	±10%	±10%	±10%	±10%
Straightness of sides	± 0.50%	± 0.25%	± 0.15%	± 0.15%
Rectanqularity	± 0.50%	± 0.15%	± 0.15%	± 0.15%
Surface flatness: Centre curvature	± 0.50%	± 0.25%	± 0.25%	± 0.25%
Surface flatness: Edge curvature	± 0.50%	± 0.25%	± 0.25%	± 0.25%
Surface flatness: Warpage	± 0.50%	± 0.25%	± 0.25%	± 0.25%
Water absprption	<10%	>10%	>10%	>10%
Modulus of rupture	Min.12 N/mm'	Min.25 N/mm2	Min.20 N/mm'	Min.25 N/mm2
Breaking strength	Min. 600 N	>1000 N	>1000 N	>1000 N
Surface Abrasion Resistance	As Per Mfq.	CLASS 4	CLASS 4	CLASS 4
Impact Resistance	<0.55	<0.40	<0.40	<0.40
Frost resistance	No Damage	Frost Proof	Frost Proof	Frost Proof
Thermal shock resistance	No Damage	No Damage	No Damage	No Damage
Moisture expansion	<0.65mm/M	<0.3mm/M	<0.3mm/M	<0.3mm/M
Thermal expansion (COE)	Nax, 9.0X10-^	Max, 6.5X10-'	Nax, 6.5X10-'	Max, 6.5X10-'
Crazing resistance	As Per Mfq.	No Craze	No Craze	No Craze
Chemical resistance	No Damage	No Damage	No Damage	No Damage
Stain resistance	Resistant	Min.Class 3	Min.Class 3	Min.Class 3
Lead & cadmium release- countertops		<0.03mg/dm2	<0.03mg/dm2	<0.03mg/dm2

TECHNICAL SPECIFICATION OF GLAZED PORCELAIN TILES (RECTIFIED)

CHARACTERISTIC	STANDARD AS PER ISO-13006:2018 GROUP BLA	AL MAHA 600X600X20MM	AL MAHA 600X600X9MM 600X1200X10MM	TEST METHOD
Deviation in length & width	±0.30%	±0.1%	±0.1%	ISO 10555-2
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10555-2
Straightness of sides	±0.30%	±0.2%	±0.2%	ISO 10555-2
Rectanqularity	±0.30%	±0.2%	±0.2%	ISO 10555-2
Surface flatness: Centre curvature	±0.40%	±0.20%	±0.20%	ISO 10555-2
Surface flatness: Edge curvature	±0.40%	±0.20%	±0.20%	ISO 10555-2
Surface flatness: Warpage	±0.40%	±0.20%	±0.20%	ISO 10555-2
Water absprption	<=0.50%	<=0.50%	<=0.50%	ISO 10545-3
Modulus of rupture	Min.35 N/mm'	Min.45 N/mm2	Min.40 N/mm'	ISO 10545-4
Breaking strength	Min. 1300 N	>9500 N	>=1500 N	ISO 10545-4
Surface Abrasion Resistance	As Per Mfq.	CLASS 4	CLASS 3	ISO 10545-7
Impact Resistance	0.55	>0.55	>0.55	ISO 10545-5
Frost resistance	No Damage	Frost Proof	Frost Proof	ISO 10545-12
Thermal shock resistance	No Damage	No Damage	No Damage	ISO 10545-9
Moisture expansion	<0.65mm/M	<0.15mm/M	<0.15mm/M	ISO 10545-10
Thermal expansion (COE)	Nax, 9.0X10-^	Max, 6.5X10-'	Max, 6.5X10-'	ISO 10545-8
Crazing resistance	As Per Mfq.	No Craze	No Craze	ISO 10545-11
Chemical resistance	No Damage	No Damage	No Damage	ISO 10545-13
Stain resistance	Resistant	Min.Class 3	Min.Class 3	ISO 10545-14
Lead & cadmium release- countertops	<0.03mg/dm2	<0.03mg/dm2	<0.03mg/dm2	ISO 10545-15
Surface Quality	A minimum 95% of tiles are free from visible defects which can impair the appearance of a major area of tiles	95% Visible defect free	95% Visible defect free	ISO 10545-2

Our Catalogs

Contact us

Follow **Al Maha Ceramics** social networks

Al Maha
للسيراميك و البورسلين
CERAMICS & PORCELAIN

Corporate Headquarters
Sultanate of Oman: P.O. Box 482, Falaj Al Qabail, Sohar Industrial Area, Sohar, Sultanate of Oman.
Tel: +968 26752323/22

Regional Office
Muscat: A-04, Building No. 223A, Al Assalah Tower, Street no. 10, Ghubra, Muscat.
Overseas Marketing Office

almahaceramics.com
mktg@almahaceramics.com



AL MAHA CERAMICS SAOG
P.O Box 482, Falaj Al Qabail, Sohar
Industrial Area, Sohar, Sultanate of Oman
Tel: +968 26752323/22

www.almahaceramics.com